

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	194	mac same "64" same mobile	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:49
L2	6758	mobile (ip or ipv6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:50
L3	56	l1 and l2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:50
L4	19	l3 and (@ad<="20030429" or @rlad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:50
L5	46	mac same ("64" \$bit\$2 or "64" bit\$2) same mobile	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:52
L6	32	l5 and l2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:53

L7	9	l6 and (@ad<="20030429" or @riad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 15:53
L8	49493	370/310,310.2,313,328,331,338,349,352,392,401.ccls. or 455/432.1,435.1,435.1,436,456.1.ccls. or 709/239,241,244,245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 16:37
L9	2780	l8 and l2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 16:38
L10	19	l4 and (@ad<="20030429" or @riad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 16:38
L11	1441	l9 and (@ad<="20030429" or @riad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/16 16:38
S1	128163	370/338, "340,349,400,401,406".ccls. or "455".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/21 16:20
S2	12590	S1 and (home agent or gateway)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/21 16:21

S3	762	S2 and prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/21 16:21
S4	240	prefix with (different gateway or home agent)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/21 16:24
S5	3	prefix with (different (gateway or home agent))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/21 16:24
S6	1	10/806420	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/21 16:36
S7	5	prefix same (different (gateway or home agent))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/22 10:18
S8	14	prefix same (different near2 (gateway or home agent))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/22 10:21
S9	1	prefix same ((other or another) near2 (gateway or home agent))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/22 10:30

S10	36	prefix same (access near2 point) same (gateway or home agent)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 13:34
S11	18	S10 and advert\$16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 14:00
S12	353	prefix same (access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 14:02
S13	116	S12 and advert\$16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 14:02
S14	82	S13 and (gateway or home agent)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 14:03
S15	29	S14 and (@ad<="20030429" or @rlad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 14:04
S16	2	"20030161287"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 14:28

S17	6	(extract\$5 near2 prefix) same (access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 15:16
S18	6	(extract\$5 near3 prefix) same (access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 15:18
S19	416	(extract\$5 near3 prefix)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 15:18
S20	41	(remov\$5 near2 prefix) same (access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 15:21
S21	28	(information near2 prefix) same (access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 15:23
S22	1	(translat\$5 near2 prefix) same (access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 15:28
S23	6	(obtain\$4 near2 prefix) same (access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 15:35

S24	2	(deriv\$4 near2 prefix) same (access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 15:35
S25	44	S19 and (access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 16:23
S26	8	S25 and (@ad<="20030429" or @rlad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 16:24
S27	143	(access near2 point) near3 ((assign\$15 or allocat\$14) near2 (internet protocol or ip))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 16:50
S28	4	S27 same prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 16:50
S29	21981	370/310,310.2,313,328,331,338,349,392.ccls. or 455/432.1,435.1,435.1,436,456.1.ccls. 709/245.ccls	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 17:36
S30	21981	370/310,310.2,313,328,331,338,349,392.ccls. or 455/432.1,435.1,435.1,436,456.1.ccls. 709/245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 17:36

S31	59	S27 and (@ad<="20030429" or @rlad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 17:36
S32	33401	370/310,310.2,313,328,331,338,349,392.ccls. or 455/432.1,435.1,435.1,436,456.1.ccls. or 709/245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 17:37
S33	1202	S32 and prefix and (gateway or home agent)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 17:38
S34	606	S33 and ((access near2 point) or (base near2 station))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 17:38
S35	3	"20050078635"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 17:51
S36	0	access point same access router	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 18:56
S37	702	access point same access router	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 18:56

S38	42	S37 same prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 18:56
S39	8	S38 and (@ad<="20030429" or @rlad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/26 18:56
S40	2	(extract\$5 near2 prefix) same (base\$station or base near2 station)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 11:50
S41	4	(extract\$5 near3 prefix) same (base\$station or base near2 station)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 11:57
S42	10	(extract\$5 near3 prefix) same (base\$station or base near2 station or access\$point or access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 11:59
S43	31	((extract\$5 or obtain\$5 or deriv\$5 or translat\$7) near3 prefix) same (base\$station or base near2 station or access\$point or access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 12:00
S44	17765	((extract\$5 or obtain\$5 or deriv\$5 or translat\$7) near3 internet protocol or ip) same (base\$station or base near2 station or access\$point or access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 12:00

S45	1335	S44 and prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 12:01
S46	521	S45 and ipv6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 12:01
S47	270	S46 and mobile ip	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 12:01
S48	104	S47 and (@ad<="20030429" or @rlad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 12:02
S49	1709	(advertisement\$2) same (base\$station or base near2 station or access \$point or access near2 point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 13:29
S50	1814	((extract\$5 or obtain\$5 or deriv\$5 or translat\$7) near3 prefix)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 13:29
S51	36	S49 and S50	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 13:30

S52	0	"10806420"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 13:43
S53	1	"10/806420"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/27 13:43
S54	846	(base\$station or base near2 station or access\$point or access near2 point) with ((allocat\$10 or assign\$10) near3 (internet protocol or ip or prefix))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 20:53
S55	379	S54 and (@ad<="20030429" or @rlad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 20:54
S56	177	S54 and advert\$16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 21:03
S57	10	S54 same advert\$16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 21:03
S58	6	(base\$station or base near2 station or access\$point or access near2 point) with ((allocat\$10 or assign\$10) near3 (Care\$of\$Address or Care of Address or Care-of-Address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 22:12

S59	76	S56 and (@ad<="20030429" or @rlad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/28 22:44
S60	2	"20030161287"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/29 11:59
S61	19	((check\$5 or identif\$10 or verif\$10) near2 prefix) same (base\$station or base near2 station)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/29 12:51
S62	62	((check\$5 or identif\$10 or verif\$10 or extract\$4) near3 advertisement) same (base\$station or base near2 station)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/29 12:57
S63	42	S62 and (@ad<="20030429" or @rlad<="20030429" or @prad<="20030429")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/29 12:57
S64	122	(host\$id or host id) same mac	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 19:20
S65	1	S64 same prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 19:20

S66	459	identical near2 prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 19:34
S67	25	S66 and mobile (ip or ipv6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 19:34
S68	3	S64 same (access point or access\$point)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 19:35
S69	6	S64 and mobile (ip or ipv6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 19:36
S70	24	"05799"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 21:37

11/16/2009 4:50:21 PM

C:\Documents and Settings\ariyami\My Documents\EAST\Workspaces\10806420.wsp